

2012 R-VISION

ULTRA-LITE

TRAVEL TRAILERS



TRAIL SPORT

CROSSOVER

THE WORLD IN R-VISION

2012 R-VISION ULTRA-LITE TRAVEL TRAILERS









8' WIDE

QUICKSILVER RADIANT GREY EXTERIOR
- NOW AVAILABLE -

TRAIL SPORT

- SIX-SIDED ALUMINUM FRAME LAMINATED CONSTRUCTION
- FULL WALK-ON ROOF
- RADIAL TIRES STANDARD
- SAFETY GLASS STANDARD
- NEW LARGER EXTERIOR TUNNEL STORAGE
- NEW EXTERIOR CONVENIENCE LIGHTING AT HITCH, STORAGE AREA & UTILITY HOOK-UP AREA
- NEW TWO-TONE TENTS WITH CHILD PROTECTION ENDS ON EXPANDABLES
- NEW CONTEMPORARY RESIDENTIAL FEATURES




E X P A N D A B L E S

MODELS	17E	19E	21ES	23E	19FS	21RD	22QB	23RS	24BH	25S	26RBS	27QBSS	29BHSS
GROSS VEHICLE WEIGHT RATING (LB)	3,850	6,160	6,160	6,160	6,160	6,160	6,160	6,160	6,160	6,160	6,160	6,160	6,160
DRY HITCH WEIGHT (LB) (APPR.)	349	381	495	335	477	470	420	412	321	426	440	393	362
DRY AXLE WEIGHT (APPR.)	2,476	2,712	3,925	3,528	3,149	3,170	2,760	3,754	2,936	3,650	3,900	3,808	3,804
DRY UNLOADED VEHICLE WEIGHT (APPR.)	2,825	3,093	4,420	3,883	3,626	3,640	3,180	4,166	3,257	4,076	4,340	4,201	4,166
NET CARRYING CAPACITY (NCC)	1,025	3,067	1,740	2,277	2,534	2,520	2,980	1,994	2,903	2,084	1,820	1,959	1,994
TIRE SIZE (ST205/75R14C)	14"	14"	14"	14"	14"	14"	14"	14"	14"	14"	14"	14"	14"
TIRE LOAD RANGE	C	C	C	C	C	C	C	C	C	C	C	C	C
MEASUREMENTS													
OVERALL LENGTH	17'-2"	21'-10"	22'-5"	25'-5"	23'-1"	23'-11"	24'-10"	25'-0"	25'-6"	27'-3"	28'-2"	31'-8"	32'-4"
OVERALL HEIGHT (A/C INCLUDED)	9'-9"	9'-9"	9'-8"	9'-9"	9'-9"	9'-8"	9'-9"	9'-9"	9'-9"	9'-8"	9'-8"	9'-9"	9'-9"
EXTERIOR WIDTH (W/O AWNING)	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'

* Weights may vary by objects.

All models come standard with a 6 gallon water heater, 30 gallon grey tank, 30 gallon black tank, 30 gallon fresh tank and two 20 lb. L.P. tanks.

** Tank manufacturer's listed water capacity (WC). Actual filled LP capacity is 80% of listing due to safety shut off required on tank.



**1 YEAR
FREE COVERAGE
ON 2012 MODELS**



800.650.7337



7'-6" WIDE

**ALL NEW SAND-STONE
BEIGE EXTERIOR**



- MOST FLOORPLANS RATED FOR 3,500 LBS. TOW VEHICLES
- SIX-SIDED ALUMINUM FRAME LAMINATED CONSTRUCTION
- RADIAL TIRES STANDARD
- TINTED SAFETY GLASS STANDARD
- EQUA-FLEX OPTION
- NEW 200S FLOORPLAN WITH DEEP DINETTE SLIDE
- NEW EXTERIOR LIGHTING AT HITCH, STORAGE AREA & HOOK-UP AREA

R-VISION

Quality Features for the Best Value in the Market


606 Nelson's Pkwy., Wakarusa, IN 46573
800.650.7337 • www.rvisiontowables.com

M-90-150 2011 R-Vision Litho U.S.A

MODELS	187E	177S	189QB	200S	210QB	230BH
GROSS VEHICLE WEIGHT RATING (LB)	3,850	3,850	3,850	6,160	6,160	6,160
DRY HITCH WEIGHT (LB) (APPR.)	326	300	377	275	330	448
DRY AXLE WEIGHT (APPR.)	2,258	2,500	2,520	3,475	3,080	2,620
DRY UNLOADED VEHICLE WEIGHT (APPR.)	2,584	2,800	2,897	3,750	3,410	3,068
NET CARRYING CAPACITY (NCC)	1,266	1,050	953	2,410	2,750	3,092
TIRE SIZE (ST205/75R14C)	14"	14"	14"	14"	14"	14"
TIRE LOAD RANGE	C	C	C	C	C	C
MEASUREMENTS						
OVERALL LENGTH	19'-0"	TBD	19'-8"	22'-4"	23'-2"	24'-10"
OVERALL HEIGHT (A/C INCLUDED)	9'-8"	9'-8"	9'-8"	9'-8"	9'-8"	9'-8"
EXTERIOR WIDTH (W/O AWNING)	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"
TANK CAPACITIES						
WATER HEATER	6 GAL.	6 GAL.	6 GAL.	6 GAL.	6 GAL.	6 GAL.
GREY TANK	25 GAL.	TBD	25 GAL.	25 GAL.	25 GAL.	25 GAL.
BLACK TANK	10 GAL.	TBD	25 GAL.	25 GAL.	25 GAL.	25 GAL.
FRESH TANK	30 GAL.	30 GAL.	30 GAL.	30 GAL.	30 GAL.	30 GAL.
L.P. TANK (TWO 20 LB. TANKS)	S	S	S	S	S	S

*Weights may vary by objects

** Tank manufacturer's listed water capacity (WC). Actual filled LP capacity is 80% of listing due to safety shut off required on tank.



The actual overall length of the recreational vehicle may differ from that indicated in the brochure due to variances in the manufacturing process and/or installed components. The actual length may be greater or less than that indicated. Due to the large variety of options and floorplan arrangements available to our customers, actual weights for each unit can differ significantly. Monaco provides a weight sticker on each unit we produce which includes that unit's tank capacities and approximate weight. Consult your local Monaco dealer for unit availability and further information. The information printed in this brochure reflects product design, fabrication, and component parts at the date of printing. The manufacturer reserves the right, at any time, to make changes in product design or material or component specifications as its sole option, without notice. This includes the substitution of components of a different brand or trade name which will result in comparable performance. All information printed in this brochure is subject to change after the date of printing. Some features shown or mentioned in this brochure are optional and may only be available in selected floorplans. Photographs may show props or decorations that are not standard equipment. Monaco, the Monaco logo and its design, are registered trademarks. Other products and company names are trademarks and/or registered trademarks of their respective holders. While the interior fabrics depicted in this sales brochure are fair and reasonable depictions, the colors depicted may not be an exact match of the actual colors because of the variances in photo-processing and printing. Due to product improvements, changes during the model year and/or transcription errors that may occur, information represented within this brochure may not be accurate at the time of your purchase. If certain information is significant to your purchasing decision, please confirm the information with your dealer. Component part and appliance manufacturers issue limited warranties covering portions of the recreational vehicle not covered under the Limited Warranties issued by Monaco RV, LLC. To learn specific details regarding warranty coverage, please contact your selling dealership or review the warranty packet inside the recreational vehicle.